

PRODUCT CATALOG



PASSENGER

LIGHT TRUCK

COMMERCIAL



**NEOTERRA**  
Drive The New World



Drive the New World!

Keter (pronounced like Better), is the Hebrew word for "Crown", it can also mean "Top" or "Crest". The Keter Corporation was founded in 2009 with the vision, and mission, to be widely recognized as one of the Top Tire Suppliers in Tire Industry.

Over the past decade, Keter's **Customer Centric Philosophy** has earned the reputation of a different kind of Tire Supplier. One that is very accommodating and easy to do business with. **We are a Global Product Sourcing Enterprise with a very simple business model that allows us to address the unique needs of our individual Customers.** Our Customers see us not only as a strategic source for tires, and related products, but also as a trusted partner who is committed as much to their success, as to our own.

Keter offers an extensive product line up in passenger, light truck and commercial truck products including the NeoTerra line which was specifically designed and developed to meet the demands of the high quality tires.

## NeoTerra

The NeoTerra brand offers some of the most Technologically Advanced products available. Focused on a balance between **Performance, Durability and Safety**, and delivered at a value price point.

NeoTerra products are produced at a brand new, state of the art, facility.

- **Advanced technology**
- **Proven quality, performance and durability**
- **Environmentally responsible**
- **Outstand warranty and satisfaction guarantee**

Wherever the road takes you, it's our mission to help advance your journey. We will be there with you as you drive your new worlds.

Drive Well and Safe Travels,

**Rick Phillips**, CEO


# NEOTERRA



NeoTerra Brand is produced in world **most advanced** manufacturing facility with three fundamental principles:

- Safety is in everything we do and we leverage the most advanced process and technology to improve users safety.
- Relentless pursue of quality and rigorous process control to deliver reliable product performance.
- Green, clean and environmentally responsible.





## NEOTERRA PASSENGER & LIGHT TRUCK TIRES

Specially formulated compound insures outstanding handling and guaranteed long tread life.

- Patented tread patterns owned by NOETERRA brand delivers enhanced driving experience and reliability.
- Manufactured at with state of the art technology in world class production facilities around the world with rigorous quality control and consistency.
- Passenger tire construction employs a seamless bead bundle for increased ride control and superior handling.
- Light truck construction features:
  - 1 Triple ply polyester design with high sidewall turn up.
  - 2 Two steel body ply's and two full nylon cap belts covering tread and shoulder area
  - 3 Larger bead with extra sidewall rubber produce robust performance combined with an ultra comfortable ride.

## NEOTERRA COMMERCIAL TRUCK TIRES

4-belt casing construction for guaranteed readability and durable performance.

- Dual-compound tread with specially formulated compounds allow for longer wear and lower rolling resistance.
- Wide body construction for an expanded footprint on the road to improve stability and lateral handling.
- Developed and Manufactured utilizing the most advanced technologies in the tire industry.

PASSENGER



**NEOTOUR**

Performance  
Touring

PAGES  
5-6



**NEOSPORT**

Ultra High  
Performance

PAGES  
7-8



**NEOTRAC**

Highway  
Terrain

PAGES  
11-12

**NEOTRAX**

All Terrain

PAGES  
13-14

LIGHT TRUCK



**NEOMAX RT**

Rugged  
Terrain

PAGES  
15-16

**NEOMAX MT**

Mud Terrain

PAGES  
17-18



**Long Tread Life**

Special formulated compound with enhanced shoulder construction ensures even wear and long last tread life.

**All Weather Traction**

Advanced tread design with four wide long grooves provides excellent wet and dry performance in all weather conditions.

**Quiet & Comfort Ride**

Optimized tread pitch width and alignment design provides an exceptional quiet and comfortable ride.



**UTQG:600AA**

SIZE	LOAD INDEX / SPEED SYMBOL	STANDARD RIM	OVERALL DIAMETER [MM / IN]	SECTION WIDTH [MM / IN]	TREAD DEPTH [MM/32NDS]	PRODUCT CODE
185/60R15	84 / H	5½J	603 / 23.7	189 / 7.4	7.6 / 9.6	6959613722806
185/65R15	88 / H	5½J	621 / 24.4	189 / 7.4	7.6 / 9.6	6959613722776
195/50R15	82 / V	6J	577 / 22.7	201 / 7.9	7.4 / 9.3	6959613730191
195/55R15	85 / V	6J	595 / 23.4	201 / 7.9	7.4 / 9.3	6959613730207
195/60R15	88 / H	6J	615 / 24.2	201 / 7.9	7.6 / 9.6	6959613722745
195/65R15	91 / H	6J	635 / 25.0	201 / 7.9	7.6 / 9.6	6959613722721
205/60R15	91 / H	6J	627 / 24.7	209 / 8.2	7.6 / 9.6	6959613722813
205/65R15	94 / V	6J	647 / 25.5	209 / 8.2	8.0 / 10.1	6959613722752
205/70R15	96 / H	6J	710 / 28.0	209 / 8.2	8.0 / 10.1	6959613731808
215/60R15	94 / H	6½J	639 / 25.2	221 / 8.7	8.0 / 10.1	6959613731815
215/65R15	100XL / H	6½J	661 / 26.0	221 / 8.7	8.0 / 10.1	6959613731822
215/70R15	98 / H	6½J	683 / 26.9	221 / 8.7	8.0 / 10.1	6959613722790
195/60R16	89 / V	6J	640 / 25.2	201 / 7.9	7.6 / 9.6	6959613731754
195/65R16	92 / H	6J	660 / 26.0	201 / 7.9	7.6 / 9.6	6959613731761
205/55R16	91 / V	6½J	632 / 24.9	214 / 8.4	7.6 / 9.6	6959613722707
205/60R16	92 / V	6J	652 / 25.7	209 / 8.2	7.6 / 9.6	6959613722769
205/65R16	95 / V	6J	672 / 26.5	209 / 8.2	8.0 / 10.1	6959613722837
215/55R16	93 / V	7J	642 / 25.3	226 / 8.9	7.6 / 9.6	6959613722844
215/60R16	95 / V	6½J	664 / 26.1	221 / 8.7	8.0 / 10.1	6959613722714
215/65R16	98 / H	6½J	686 / 27.0	221 / 8.7	8.0 / 10.1	6959613722783
215/70R16	100 / H	6½J	708 / 27.9	221 / 8.7	8.0 / 10.1	6959613731778
225/60R16	98 / H	6½J	676 / 26.6	228 / 9.0	8.0 / 10.1	6959613722738
225/70R16	103 / H	6½J	722 / 28.4	228 / 9.0	8.0 / 10.1	6959613731785
235/70R16	106 / H	7J	736 / 29.0	240 / 9.4	8.0 / 10.1	6959613731792
215/55R17	98XL / V	7J	668 / 26.3	226 / 8.9	7.6 / 9.6	6959613729300
215/60R17	96 / H	6½J	690 / 27.2	221 / 8.7	8.0 / 10.1	6959613722875
225/50R17	98XL / V	7J	658 / 25.9	233 / 9.2	7.6 / 9.6	6959613729317
225/65R17	102 / H	6½J	724 / 28.5	228 / 9.0	8.0 / 10.1	6959613729324
235/60R17	102 / H	7J	714 / 28.1	240 / 9.4	8.0 / 10.1	6959613722943
235/65R17	108XL / H	7J	738 / 29.1	240 / 9.4	8.0 / 10.1	6959613729447
175/65R15*	84 / H	5J	609 / 24.0	177 / 7.0	7.6 / 9.6	*Coming soon

UTQG:420AA



**Superior Responsiveness**

Proven asymmetric tread provides precise, race-inspired handling on wet or dry conditions.

**Cornering Stability**

Specifically enhanced shoulder design maintain even tread pressure to improve grip while cornering.

**Ultra Quiet Ride**

Advanced tread block pattern and optimized pitch alignment greatly reduce excessive road noise.



SIZE	LOAD INDEX / SPEED SYMBOL	STANDARD RIM	OVERALL DIAMETER [MM / IN]	SECTION WIDTH [MM / IN]	TREAD DEPTH [MM/32NDS]	PRODUCT CODE
205/40ZR17	84XL / W	7½J	596 / 23.5	212 / 8.3	7.6 / 9.6	6959613731983
205/50ZR17	93XL / W	6½J	638 / 25.1	214 / 8.4	7.6 / 9.6	6959613723636
215/45ZR17	91XL / W	7J	626 / 24.6	213 / 8.4	7.6 / 9.6	6959613723506
215/50ZR17	95XL / W	7J	648 / 25.5	226 / 8.9	7.6 / 9.6	6959613723599
215/55ZR17	94 / W	7J	668 / 26.3	226 / 8.9	7.6 / 9.6	6959613723667
225/45ZR17	94XL / W	7½J	634 / 25.0	225 / 8.9	7.6 / 9.6	6959613723544
225/50ZR17	98XL / W	7J	658 / 25.9	233 / 9.2	7.6 / 9.6	6959613723674
225/55ZR17	97 / W	7J	680 / 26.8	233 / 9.2	7.6 / 9.6	6959613723490
225/60R17	99 / H	6½J	702 / 27.6	228 / 9.0	7.8 / 9.8	6959613729461
235/45ZR17	97XL / W	8J	644 / 25.4	236 / 9.3	7.6 / 9.6	6959613723681
235/55R17	103XL / V	7½J	690 / 27.2	245 / 9.6	7.6 / 9.6	6959613731082
245/45ZR17	99XL / W	8J	652 / 25.7	243 / 9.6	7.6 / 9.6	6959613731099
225/40ZR18	92XL / Y	8J	637 / 25.1	230 / 9.1	7.6 / 9.6	6959613723513
225/45ZR18	95XL / W	7½J	659 / 25.9	225 / 8.9	7.6 / 9.6	6959613723520
235/40ZR18	95XL / Y	8 ½J	645 / 25.4	241 / 9.5	7.6 / 9.6	6959613731105
235/45ZR18	98XL / Y	8J	669 / 26.3	236 / 9.3	7.6 / 9.6	6959613723612
235/50ZR18	97 / W	7½J	693 / 27.3	245 / 9.6	7.6 / 9.6	6959613723582
235/60R18	107XL / H	7J	739 / 29.1	240 / 9.4	7.8 / 9.8	6959613729478
245/40ZR18	97XL / W	8½J	653 / 25.7	248 / 9.8	7.6 / 9.6	6959613723643
245/45ZR18	100XL / W	8J	677 / 26.7	243 / 9.6	7.6 / 9.6	6959613723568
225/35ZR19	88XL / W	8J	641 / 25.2	230 / 9.1	7.6 / 9.6	6959613731990
235/35ZR19	91XL / W	8 ½J	647 / 25.5	241 / 9.5	7.6 / 9.6	6959613731280
235/40ZR19	96XL / W	8½J	671 / 26.4	241 / 9.5	7.6 / 9.6	6959613729423
245/40ZR19	98XL / Y	8 ½J	679 / 26.7	248 / 9.8	7.6 / 9.6	6959613731235
255/40ZR19	100XL / W	9J	687 / 27.0	260 / 10.2	7.6 / 9.6	6959613731242
225/35ZR20	90XL / Y	8J	666 / 26.2	230 / 9.1	7.6 / 9.6	6959613723537
245/35ZR20	95XL / Y	8½J	680 / 26.8	248 / 9.8	7.6 / 9.6	6959613723483
245/40ZR20	99XL / W	8 ½J	704 / 27.7	248 / 9.8	7.6 / 9.6	6959613731259
245/45ZR20	99 / Y	8J	728 / 28.7	243 / 9.6	7.6 / 9.6	6959613723575
245/50ZR20	102 / W	7½J	754 / 29.7	253 / 10.0	7.6 / 9.6	6959613701832
275/40ZR20	106XL / Y	9½J	728 / 28.7	278 / 10.9	7.8 / 9.8	6959613723476
265/35ZR22	102XL / Y	9½J	745 / 29.3	271 / 10.7	8.0 / 10.1	6959613723551
305/40ZR22	114XL / W	11J	803 / 31.6	313 / 12.3	8.0 / 10.1	6959613723629
305/35ZR24	112XL / W	11J	824 / 32.4	313 / 12.3	8.0 / 10.1	6959613723605
275/25ZR26	98XL / W	10J	798 / 31.4	283 / 11.1	8.0 / 10.1	6959613701757



# NEOSPORT

ULTRA HIGH PERFORMANCE

SIZE	LOAD INDEX / SPEED SYMBOL	STANDARD RIM	OVERALL DIAMETER [MM / IN]	SECTION WIDTH [MM / IN]	TREAD DEPTH [MM/32NDS]
245/45ZR19	102XL / Y	8J	703 / 27.7	243 / 9.6	7.6 / 9.6
255/35ZR19	96XL / Y	9J	661 / 26.0	260 / 10.2	7.6 / 9.6
275/40ZR19	105XL / Y	9 ½J	703 / 27.7	278 / 10.9	7.6 / 9.6
215/35ZR20	87XL / W	7 ½J	739 / 29.1	218 / 8.6	7.6 / 9.6
245/30ZR20	90XL / W	8 ½J	656 / 25.8	216 / 8.5	7.6 / 9.6
255/35ZR20	97XL / W	9J	686 / 27.0	260 / 10.2	7.6 / 9.6
255/45ZR20	105XL / Y	8 ½J	738 / 29.1	255 / 10.0	7.6 / 9.6
265/30ZR20	94XL / Y	9 ½J	668 / 26.3	271 / 10.7	7.6 / 9.6
265/45ZR20	104 / Y	9J	746 / 29.4	266 / 10.5	7.8 / 9.8
275/30ZR20	97XL / Y	9 ½J	674 / 26.5	278 / 10.9	7.8 / 9.8
305/30ZR20	103XL / Y	11J	692 / 27.2	313 / 12.3	8.0 / 10.1
235/30ZR22	90XL / W	8.5J	701 / 27.6	242 / 9.5	8.0 / 10.1
245/30ZR22	92XL / W	8.5J	707 / 27.8	258 / 10.2	8.0 / 10.1
255/30ZR22	95XL / W	9J	713 / 28.1	260 / 10.2	8.0 / 10.1
265/30ZR22	97XL / W	9.5J	719 / 28.3	271 / 10.7	8.0 / 10.1
305/30ZR22	105XL / Y	11J	743 / 29.3	313 / 12.3	8.0 / 10.1
295/30ZR26	107XL / W	10 ½J	838 / 33.0	301 / 11.9	8.0 / 10.1
305/30ZR26	109XL / W	11J	844 / 33.2	313 / 12.3	8.0 / 10.1
215/40ZR17	87XL / W	7 ½J	604 / 23.8	218 / 8.6	7.6 / 9.6
245/40ZR17	95XL / W	8 ½J	628 / 24.7	248 / 9.8	7.6 / 9.6
215/35ZR18	84XL / W	7 ½J	607 / 23.9	218 / 8.6	7.6 / 9.6
215/40ZR18	89XL / W	7 ½J	629 / 24.8	218 / 8.6	7.6 / 9.6
225/50ZR18	95 / W	7J	683 / 26.9	233 / 9.2	7.6 / 9.6
245/50ZR18	104XL / Y	7 ½J	703 / 27.7	253 / 10.0	7.6 / 9.6

SIZE	LOAD INDEX / SPEED SYMBOL	STANDARD RIM	OVERALL DIAMETER [MM / IN]	SECTION WIDTH [MM / IN]	TREAD DEPTH [MM/32NDS]
255/35ZR18	94XL / W	9J	635 / 25.0	260 / 10.2	7.6 / 9.6
255/45ZR18	103XL / Y	8 ½J	687 / 27.0	255 / 10.0	7.8 / 9.8
275/35ZR18	99XL / W	9 ½J	649 / 25.6	278 / 10.9	7.8 / 9.8
225/40ZR19	93XL / Y	8J	663 / 26.1	230 / 9.1	7.6 / 9.6
225/55R19	99 / V	7J	731 / 28.8	233 / 9.2	7.6 / 9.6
245/35ZR19	93XL / W	8 ½J	655 / 25.8	248 / 9.8	7.6 / 9.6
255/30ZR19	91XL / W	9J	637 / 25.1	260 / 10.2	7.8 / 9.8
255/45ZR19	104XL / W	8 ½J	713 / 28.1	255 / 10.0	7.8 / 9.8
255/50ZR19	107XL / Y	8J	739 / 29.1	265 / 10.4	7.8 / 9.8
255/55ZR19	111XL / W	8J	763 / 30.0	265 / 10.4	7.8 / 9.8
265/30ZR19	93XL / W	9 ½J	643 / 25.3	271 / 10.7	7.8 / 9.8
265/35ZR19	98XL / W	9 ½J	669 / 26.3	271 / 10.7	7.8 / 9.8
275/30ZR19	96XL / Y	9 ½J	649 / 25.6	278 / 10.9	7.8 / 9.8
275/35ZR19	100XL / W	9 ½J	675 / 26.6	278 / 10.9	7.8 / 9.8
275/45ZR19	108XL / W	9J	731 / 28.8	273 / 10.7	7.8 / 9.8
215/30ZR20	82XL / W	8J	-	-	7.6 / 9.6
235/30ZR20	88XL / W	8 ½J	650 / 25.6	241 / 9.5	7.6 / 9.6
235/35ZR20	92XL / W	8 ½J	672 / 26.5	241 / 9.5	7.6 / 9.6

**\*The above sizes are proceeding**



**Long Tread Life**

Durable tread compound with reinforced construction stands up to the challenge of heavy loads and extends tread life.

**All Weather Performance**

Four deep aqua grooves and full-depth sipes provide enhanced traction and wet performance in all weather conditions.

**Quiet & Comfort Ride**

Optimized tread design offers a quiet and comfortable ride.



SIZE	PLY RATING/ LOAD RANGE	LOAD INDEX / SPEED SYMBOL	STANDARD RIM	OVERALL DIAMETER [MM / IN.]	SECTION WIDTH [MM / IN.]	TREAD DEPTH [MM/32NDS]	PRODUCT CODE
235/75R15		109XL / T	6 ½J	733 / 28.9	235 / 9.3	8.5 / 10.7	6959613730993
215/70R16		100 / H	6½J	708 / 27.9	221 / 8.7	8.5 / 10.7	6959613723124
225/70R16		103 / T	6½J	722 / 28.4	228 / 9.0	8.5 / 10.7	6959613723179
LT225/75R16	10 / E	115/112 / S	6J	750 / 29.5	223 / 8.8	10.0 / 12.6	6959613723087
225/75R16		104 / H	6J	744 / 29.3	223 / 8.8	8.5 / 10.7	6959613731921
235/70R16		106 / T	7J	736 / 29.0	240 / 9.4	8.5 / 10.7	6959613723148
245/70R16		107 / T	7J	750 / 29.5	248 / 9.8	8.5 / 10.7	6959613723285
LT245/75R16	10 / E	120/116 / S	7J	780 / 30.7	248 / 9.8	10.0 / 12.6	6959613723070
255/70R16		111 / T	7½J	764 / 30.1	260 / 10.2	8.5 / 10.7	6959613723308
265/70R16		112 / T	8J	778 / 30.6	272 / 10.7	8.5 / 10.7	6959613723100
265/75R16		116 / T	7½J	804 / 31.7	267 / 10.5	8.5 / 10.7	6959613723209
225/65R17		102 / H	6½J	724 / 28.5	228 / 9.0	8.5 / 10.7	6959613723162
235/65R17		108XL / H	7J	738 / 29.1	240 / 9.4	8.5 / 10.7	6959613723063
245/65R17		107 / T	7J	750 / 29.5	248 / 9.8	8.5 / 10.7	6959613731006
245/70R17		110 / T	7J	776 / 30.6	248 / 9.8	8.5 / 10.7	6959613731013
255/70R17		112 / T	7½J	790 / 31.1	260 / 10.2	8.5 / 10.7	6959613731914
265/65R17		112 / T	8J	776 / 30.6	272 / 10.7	8.5 / 10.7	6959613731020
265/70R17		115 / T	8J	804 / 31.7	272 / 10.7	8.5 / 10.7	6959613723094
235/60R18		103 / T	7J	739 / 29.1	240 / 9.4	8.5 / 10.7	6959613731136
235/65R18		106 / H	7J	763 / 30.0	240 / 9.4	8.5 / 10.7	6959613731938
245/60R18		105 / T	7J	751 / 29.6	248 / 9.8	8.5 / 10.7	6959613731143
255/55R18		105 / H	8J	737 / 29.0	265 / 10.4	8.5 / 10.7	6959613731945
255/65R18		111 / T	7½J	789 / 31.1	260 / 10.2	8.5 / 10.7	6959613731952
255/70R18		113 / T	7½J	815 / 32.1	260 / 10.2	8.5 / 10.7	6959613731969
265/60R18		110 / H	8J	775 / 30.5	272 / 10.7	8.5 / 10.7	6959613731150
265/65R18		114 / T	8J	801 / 31.5	272 / 10.7	8.5 / 10.7	6959613723155
265/70R18		116 / T	8J	829 / 32.6	272 / 10.7	8.5 / 10.7	6959613731167
275/65R18		116 / T	8J	815 / 32.1	279 / 11.0	8.5 / 10.7	6959613731174
255/60R19		109 / H	7½J	789 / 31.1	260 / 10.2	8.5 / 10.7	6959613731976
275/55R20		117XL / H	8½J	810 / 31.9	284 / 11.2	8.5 / 10.7	6959613723117
275/60R20		115 / T	8J	838 / 33.0	279 / 11.0	8.5 / 10.7	6959613723131
245/65R22		113 / T	7J	-	-	8.5 / 10.7	*Coming soon





**Superb Traction**

Open tread design with advanced compound provides superb all-season traction and versatile all-terrain performance.

**Enhanced Toughness**

The LT sizes constructed with true 3-belt and high strength steel package for enhanced toughness and rugged strength.

**Off-Road Handling**

Wraparound shoulder design delivers desired off-road handling and enhanced performance.



SIZE	PLY RATING / LOAD RANGE	LOAD INDEX / SPEED SYMBOL	STANDARD RIM	OVERALL DIAMETER [MM / IN.]	SECTION WIDTH [MM / IN.]	TREAD DEPTH [MM/32NDS]	PRODUCT CODE
LT235/75R15	6 / C	104/101 / S	6½J	733 / 28.9	235 / 9.3	12.7 / 16.0	6959613731907
LT215/85R16	10 / E	115/112 / Q	6J	778 / 30.6	216 / 8.5	12.7 / 16.0	6959613722509
LT225/75R16	10 / E	115/112 / Q	6J	750 / 29.5	223 / 8.8	12.7 / 16.0	6959613722431
LT235/85R16	10 / E	120/116 / Q	6½J	812 / 32.0	235 / 9.3	12.7 / 16.0	6959613722417
245/75R16		111 / T	7J	774 / 30.5	248 / 9.8	10.3 / 13.0	6959613722554
LT245/75R16	10 / E	120/116 / Q	7J	780 / 30.7	248 / 9.8	12.7 / 16.0	6959613722349
LT255/70R16	10 / E	120/117 / R	7½J	770 / 30.3	260 / 10.2	12.7 / 16.0	6959613722622
265/70R16		112 / T	8J	778 / 30.6	272 / 10.7	10.3 / 13.0	6959613722448
LT265/70R16	10 / E	121/118 / R	8J	798 / 31.4	279 / 11.0	12.7 / 16.0	6959613722325
LT265/75R16	10 / E	123/120 / Q	7½J	810 / 31.9	267 / 10.5	12.7 / 16.0	6959613722363
LT285/75R16	10 / E	126/123 / Q	8J	840 / 33.1	286 / 11.3	12.7 / 16.0	6959613722370
LT315/75R16	10 / E	127/124 / Q	8½J	878 / 34.6	313 / 12.3	12.7 / 16.0	6959613731891
LT235/80R17	10 / E	120/117 / Q	6 ½J	808 / 31.8	235 / 9.3	12.7 / 16.0	6959613731044
LT245/70R17	10 / E	119/116 / R	7J	750 / 29.5	248 / 9.8	12.7 / 16.0	6959613731051
245/70R17		110 / T	7J	776 / 30.6	248 / 9.8	10.3 / 13.0	6959613731884
LT245/75R17	10 / E	121/118 / Q	7J	800 / 31.5	248 / 9.8	12.7 / 16.0	6959613731068
LT265/70R17	10 / E	121/118 / S	8J	810 / 31.9	272 / 10.7	12.7 / 16.0	6959613722356
265/70R17		115 / T	8J	804 / 31.7	272 / 10.7	10.3 / 13.0	6959613731037
LT285/70R17	10 / E	121/118 / S	8½J	838 / 33.0	292 / 11.5	12.7 / 16.0	6959613722332
265/70R18		116 / T	8J	829 / 32.6	272 / 10.7	10.3 / 13.0	6959613722493
LT265/70R18	10 / E	124/121 / S	8J	835 / 32.9	272 / 10.7	12.7 / 16.0	6959613722653
LT275/65R18	10 / E	123/120 / Q	8J	821 / 32.3	279 / 11.0	12.7 / 16.0	6959613722387
LT275/70R18	10 / E	125/122 / S	8J	849 / 33.4	279 / 11.0	12.7 / 16.0	6959613722400
LT285/75R18	10 / E	129/126 / Q	8J	891 / 35.1	286 / 11.3	12.7 / 16.0	6959613722424
LT265/60R20	10 / E	121/118 / S	8J	826 / 32.5	272 / 10.7	12.7 / 16.0	6959613731181
275/55R20		117 XL / T	8½J	810 / 31.9	284 / 11.2	10.3 / 13.0	6959613722318
LT275/55R20	10 / E	120/117 / S	8½J	816 / 32.1	284 / 11.2	12.7 / 16.0	6959613722455
LT275/65R20	10 / E	126/123 / S	8J	872 / 34.3	279 / 11.0	12.7 / 16.0	6959613722394
LT285/55R20	10 / E	122/119 / S	9J	828 / 32.6	297 / 11.7	12.7 / 16.0	6959613722547
LT285/60R20	10 / E	125/122 / R	8½J	856 / 33.7	292 / 11.5	12.7 / 16.0	6959613722677
LT285/65R20	10 / E	127/124 / Q	8½J	884 / 34.8	292 / 11.5	12.7 / 16.0	6959613722462
LT305/55R20	12 / F	125/122 / Q	9 ½J	844 / 33.2	316 / 12.4	12.7 / 16.0	6959613731198
285/45R22		114XL / H	9½J	815 / 32.1	285 / 11.2	10.3 / 13.0	6959613731266



**Balanced Traction and Comfortability**

Innovative hybrid tread design provides the perfect balance between off-road performance and on-road comfortable ride.

**Robust Off-Road Performance**

Precisely engineered tread design with enhanced casing package ensures outstanding off-road performance where needed most.

**Aggressive But Smooth**

Optimized block pattern with special pitch alignment provides a smooth on-road ride.



SIZE	PLY RATING / LOAD RANGE	LOAD INDEX / SPEED SYMBOL	STANDARD RIM	OVERALL DIAMETER [MM / IN.]	SECTION WIDTH [MM / IN.]	TREAD DEPTH [MM/32NDS]	PRODUCT CODE
31x10.50R15LT	6 / C	109 / Q	8½J	781 / 30.7	268 / 10.6	13.5 / 17.0	6959613723018
LT265/75R16	10 / E	123/120 / Q	7½J	810 / 31.9	267 / 10.5	13.5 / 17.0	6959613723049
LT285/75R16	10 / E	126/123 / Q	8J	840 / 33.1	286 / 11.3	13.5 / 17.0	6959613723056
LT285/70R17	10 / E	121/118 / Q	8½J	838 / 33.0	292 / 11.5	13.5 / 17.0	6959613729539
LT305/65R17	12 / F	121/118 / Q	9J	828 / 32.6	311 / 12.2	13.5 / 17.0	6959613731075
LT315/70R17	12 / F	121/118 / Q	9½J	880 / 34.6	323 / 12.7	13.5 / 17.0	6959613730733
33x12.50R18LT	12 / F	122 / Q	10J	832 / 32.8	318 / 12.5	13.5 / 17.0	6959613722950
35x12.50R18LT	12 / F	128 / Q	10J	883 / 34.8	318 / 12.5	13.5 / 17.0	6959613722967
LT275/70R18	10 / E	125/122 / Q	8J	849 / 33.4	279 / 11.0	13.5 / 17.0	6959613729560
LT285/65R18	10 / E	125/122 / Q	8½J	833 / 32.8	292 / 11.5	13.5 / 17.0	6959613729577
LT305/60R18	12 / F	126/123 / Q	9J	823 / 32.4	311 / 12.2	13.5 / 17.0	6959613731112
LT305/70R18	12 / F	128/125 / Q	9J	885 / 34.8	311 / 12.2	13.5 / 17.0	6959613731129
LT325/65R18	12 / F	127/124 / Q	9½J	879 / 34.6	331 / 13.0	13.5 / 17.0	6959613731877
33x12.50R20LT	12 / F	119 / Q	10J	832 / 32.8	318 / 12.5	13.5 / 17.0	6959613722974
35x12.50R20LT	12 / F	125 / Q	10J	883 / 34.8	318 / 12.5	13.5 / 17.0	6959613722981
37x12.50R20LT	12 / F	128 / Q	11J	934 / 36.8	345 / 13.6	13.5 / 17.0	6959613730757
LT265/60R20	10 / E	121/118 / Q	8J	826 / 32.5	272 / 10.7	13.5 / 17.0	6959613731204
LT275/65R20	10 / E	126/123 / Q	8J	866 / 34.1	279 / 11.0	13.5 / 17.0	6959613701511
LT285/55R20	10 / E	122/119 / Q	9J	828 / 32.6	297 / 11.7	13.5 / 17.0	6959613701528
LT305/55R20	12 / F	125/122 / Q	9½J	850 / 33.5	316 / 12.4	13.5 / 17.0	6959613701535
LT325/60R20	12 / F	126/123 / Q	9½J	898 / 35.4	331 / 13.0	13.5 / 17.0	6959613730740
33x12.50R22LT	12 / F	114 / Q	10J	832 / 32.8	318 / 12.5	13.5 / 17.0	6959613722998
35x12.50R22LT	12 / F	121 / Q	10J	883 / 34.8	318 / 12.5	13.5 / 17.0	6959613723001



**Maximum Traction**

Advanced tread compound and aggressive block design ensures maximum traction and grip in severe off-road conditions.

**Tough and Durable**

Hardworking wraparound tread with enhanced steel belt package construction optimizes sidewall traction and puncture resistance in deep mud, sand and rocks.

**Confident Handling**

Self-cleaning tread and shoulder area guarantees consistent traction and grip power.



SIZE	PLY RATING / LOAD RANGE	LOAD INDEX / SPEED SYMBOL	STANDARD RIM	OVERALL DIAMETER [MM / IN.]	SECTION WIDTH [MM / IN.]	TREAD DEPTH [MM/32NDS]	PRODUCT CODE
31x10.50R15LT	6 / C	109 / Q	8½J	775 / 30.5	268 / 10.6	15.5 / 19.5	6959613731839
33x12.50R15LT	6 / C	108 / Q	10J	826 / 32.5	318 / 12.5	15.5 / 19.5	6959613731846
35x12.50R15LT	6 / C	113 / Q	10J	877 / 34.5	318 / 12.5	15.5 / 19.5	6959613731853
LT245/75R16	10 / E	120/116 / Q	7J	780 / 30.7	248 / 9.8	15.5 / 19.5	6959613701672
LT285/75R16	10 / E	126/123 / Q	8J	840 / 33.1	286 / 11.3	15.5 / 19.5	6959613723896
LT305/70R16	12 / F	128/125 / Q	9J	834 / 32.8	311 / 12.2	15.5 / 19.5	6959613730764
33x12.50R17LT	12 / F	121 / Q	10J	832 / 32.8	318 / 12.5	15.5 / 19.5	6959613730771
35x12.50R17LT	12 / F	121 / Q	10J	883 / 34.8	318 / 12.5	15.5 / 19.5	6959613730788
37x12.50R17LT	8 / D	124 / Q	10J	934 / 36.8	318 / 12.5	15.5 / 19.5	6959613723841
37x13.50R17LT	10 / E	121 / Q	11J	928 / 36.5	345 / 13.6	15.5 / 19.5	6959613731860
33x12.50R18LT	12 / F	122 / Q	10J	832 / 32.8	318 / 12.5	15.5 / 19.5	6959613730795
35x12.50R18LT	12 / F	128 / Q	10J	883 / 34.8	318 / 12.5	15.5 / 19.5	6959613730801
LT285/65R18	10 / E	125/122 / Q	8½J	833 / 32.8	292 / 11.5	15.5 / 19.5	6959613723933
33x12.50R20LT	12 / F	119 / Q	10J	832 / 32.8	318 / 12.5	15.5 / 19.5	6959613730818
35x12.50R20LT	12 / F	125 / Q	10J	883 / 34.8	318 / 12.5	15.5 / 19.5	6959613730825
37x13.50R20LT	12 / F	128 / Q	11J	934 / 36.8	345 / 13.6	15.5 / 19.5	6959613730832
LT305/55R20	12 / F	125/122 / Q	9 ½J	844 / 33.2	316 / 12.4	15.5 / 19.5	6959613731211
LT325/60R20	12 / F	126/123 / Q	9½J	898 / 35.4	331 / 13.0	15.5 / 19.5	6959613731228
33x12.50R22LT	12 / F	114 / Q	10J	832 / 32.8	318 / 12.5	15.5 / 19.5	6959613724008
35x12.50R22LT	12 / F	121 / Q	10J	883 / 34.8	318 / 12.5	15.5 / 19.5	6959613730849
37x13.50R22LT	12 / F	128 / Q	11J	928 / 36.5	345 / 13.6	15.5 / 19.5	6959613731273
37x13.50R24LT	12 / F	124 / Q	11J	934 / 36.8	345 / 13.6	15.5 / 19.5	6959613730856
37x13.50R26LT	10 / E	114 / Q	11J	928 / 36.5	345 / 13.6	15.5 / 19.5	*Coming soon



**AP201**

Regional  
All Position

PAGES  
19-20

**AP221**

Specialty  
All Position

PAGES  
21-22

**CD301**

Closed  
Shoulder  
Drive

PAGES  
23-24

**OD311**

Open  
Shoulder  
Drive

PAGES  
25-26

**OD321**

All Season  
Drive

PAGE  
27

**CT401**

Commercial  
Trailer

PAGES  
28

**MS231**

Mixed  
Service  
All Position

PAGE  
29

**MS241**

Mixed Service  
Wide-base  
All Position

PAGE  
30

**MS321**

Mixed  
Service  
Drive

PAGE  
31

**MS331**

Mixed  
Service  
Drive

PAGE  
32



**Long Service Life**

Advanced wear-resistant compound with dual-layer tread offers long service life.

**Wide Footprint**

Premium 5-rib design with wide footprint offers slow, uniform wear and enhanced handling.

**All-Weather Traction**

Special groove design and rib edge sipes enhances traction in all weather conditions.

**Guaranteed Retreadability**

Premium casing construction promotes consistent footprint and guaranteed retreadability.

SIZE	PR / LR	LOAD INDEX / SPEED SYMBOL	STANDARD RIM	OVERALL DIAMETER [MM / IN.]	SECTION WIDTH [MM / IN.]	SINGLE LOAD [KG/LBS]	DUAL LOAD [KG/LBS]	PRESSURE [KPA / PSI]	TREAD DEPTH [MM / 32NDS]	PRODUCT CODE
11R22.5	14 / G	144/142 L	8.25	1065 / 41.9	279 / 11.0	2800 / 6175	2650 / 5840	720 / 105	14.3 / 18.0	6959613724237
11R22.5	16 / H	148/145 L	8.25	1054 / 41.5	279 / 11.0	3150 / 6940	2900 / 6390	850 / 123	14.3 / 18.0	6959613724244
295/75R22.5	14 / G	144/141 M	8.25	1014 / 39.9	298 / 11.7	2800 / 6175	2575 / 5675	760 / 110	14.3 / 18.0	6959613724299
295/75R22.5	16 / H	146/143 M	8.25	1014 / 39.9	298 / 11.7	3000 / 6610	2725 / 6005	830 / 120	14.3 / 18.0	6959613724305
315/80R22.5	20 / L	157/154 L	9.00	1076 / 42.4	312 / 12.3	4125 / 9090	3750 / 8270	900 / 130	15.9 / 20.0	6959613724312
11R24.5	14 / G	146/143 L	8.25	1116 / 43.9	279 / 11.0	3000 / 6610	2725 / 6005	720 / 105	14.3 / 18.0	6959613724251
11R24.5	16 / H	149/146 L	8.25	1104 / 43.5	279 / 11.0	3250 / 7160	3000 / 6610	830 / 120	14.3 / 18.0	6959613724268
285/75R24.5	14 / G	144/141 L	8.25	1050 / 41.3	283 / 11.1	2800 / 6175	2575 / 5675	760 / 110	14.3 / 18.0	6959613724275
285/75R24.5	16 / H	147/144 L	8.25	1050 / 41.3	283 / 11.1	3075 / 6780	2800 / 6175	830 / 120	14.3 / 18.0	6959613724282



**Long Miles to Removal**

Innovative tread compound provide enhanced high-scrub resistance for long miles to removal.

**Superb Traction**

Optimized tread block geometry with special groove sipes offers superb traction and quick response on wet or slippery roads.

**Enhanced Protection**


Wide enhanced shoulder increased protection against curb damage and irregular wear.

**Guaranteed Retreadability**

Premium casing construction provides toughness and durability for guaranteed retreadability.



SIZE	PR / LR	LOAD INDEX / SPEED SYMBOL	STANDARD RIM	OVERALL DIAMETER [MM / IN.]	SECTION WIDTH [MM / IN.]	SINGLE LOAD [KG/LBS]	DUAL LOAD [KG/LBS]	PRESSURE [KPA / PSI]	TREAD DEPTH [MM / 32NDS]	PRODUCT CODE
215/75R17.5	16 / H	127/124 M	6.00	767 / 30.2	211 / 8.3	1750 / 3860	1600 / 3525	830 / 120	12.8 / 16.1	6959613724329
215/75R17.5	16 / H	135/133 J	6.00	767 / 30.2	211 / 8.3	2180 / 4805	2060 / 4540	850 / 125	12.8 / 16.1	6959613732096
235/75R17.5	18 / J	143/141 J	6.75	797 / 31.4	233 / 9.2	2725 / 6010	2575 / 5675	850 / 125	12.8 / 16.1	6959613724343
225/70R19.5	14 / G	128/126 L	6.75	811 / 31.9	226 / 8.9	1800 / 3970	1700 / 3750	760 / 110	14.3 / 18.0	6959613724336
245/70R19.5	16 / H	135/133 M	7.50	839 / 33.0	248 / 9.8	2180 / 4805	2060 / 4540	830 / 120	15.0 / 18.9	6959613724350
255/70R22.5	16 / H	140/137 M	7.50	930 / 36.6	255 / 10.0	2500 / 5510	2300 / 5070	830 / 120	15.0 / 18.9	6959613724367
275/70R22.5	16 / H	148/145 M	8.25	958 / 37.7	276 / 10.9	3150 / 6940	2900 / 6390	900 / 130	15.9 / 20.0	6959613724374



**Long Original Mileage**

Deep tread with innovative compound promotes long original mileage.

**Uniform Wear**

Closed shoulder design provides uniform wear throughout the life of the tire

**Enhanced Handling**

Aggressive design with wide footprint delivers enhanced handling and brake response.

**Guaranteed Retreadability**

Premium casing construction provides toughness and durability for guaranteed retreadability.

SIZE	PR / LR	LOAD INDEX / SPEED SYMBOL	STANDARD RIM	OVERALL DIAMETER [MM / IN]	SECTION WIDTH [MM / IN]	SINGLE LOAD [KG/LBS]	DUAL LOAD [KG/LBS]	PRESSURE [KPA / PSI]	TREAD DEPTH [MM / 32NDS]	PRODUCT CODE
11R22.5	14 / G	144/142 L	8.25	1065 / 41.9	279 / 11.0	2800 / 6175	2650 / 5840	720 / 105	21.4 / 27.0	6959613724084
11R22.5	16 / H	146/143 L	8.25	1065 / 41.9	279 / 11.0	3000 / 6610	2725 / 6005	830 / 120	21.4 / 27.0	6959613724091
295/75R22.5	14 / G	144/141 L	8.25	1020 / 40.2	298 / 11.7	2800 / 6175	2575 / 5675	760 / 110	21.4 / 27.0	6959613724152
295/75R22.5	16 / H	146/143 L	8.25	1020 / 40.2	298 / 11.7	3000 / 6610	2725 / 6005	830 / 120	21.4 / 27.0	6959613724145
11R24.5	14 / G	146/143 L	8.25	1116 / 43.9	279 / 11.0	3000 / 6610	2725 / 6005	720 / 105	21.4 / 27.0	6959613724107
11R24.5	16 / H	149/146 L	8.25	1116 / 43.9	279 / 11.0	3250 / 7160	3000 / 6610	830 / 120	21.4 / 27.0	6959613724114
285/75R24.5	14 / G	144/141 L	8.25	1056 / 41.6	283 / 11.1	2800 / 6175	2575 / 5675	760 / 110	22.5 / 28.3	6959613724121
285/75R24.5	16 / H	147/144 L	8.25	1050 / 41.3	283 / 11.1	3075 / 6780	2800 / 6175	830 / 120	22.5 / 28.3	6959613724138



**Long Service Life**

Innovative tread compound with advanced tread design delivers wear resistance and scrubbing resistance for long service life.

**Superior Traction**

Open shoulder design delivers enhanced traction and acceleration in all weather conditions.

**Enhanced Handling**

Aggressive design with wide footprint delivers enhanced handling and superior brake response.

**Guaranteed Retreadability**

Premium casing construction provides toughness and durability for guaranteed retreadability.

SIZE	PR / LR	LOAD INDEX / SPEED SYMBOL	STANDARD RIM	OVERALL DIAMETER [MM / IN.]	SECTION WIDTH [MM / IN.]	SINGLE LOAD [KG/LBS]	DUAL LOAD [KG/LBS]	PRESSURE [KPA / PSI]	TREAD DEPTH [MM / 32NDS]	PRODUCT CODE
225/70R19.5	14 / G	128/126 L	6.75	811 / 31.9	226 / 8.9	1800 / 3970	1700 / 3750	760 / 110	15.0 / 18.9	6959613702686
245/70R19.5	16 / H	135/133 L	7.50	839 / 33.0	248 / 9.8	2180 / 4805	2060 / 4540	830 / 120	15.9 / 20.0	6959613702693
11R22.5	14 / G	144/142 L	8.25	1065 / 41.9	279 / 11.0	2800 / 6175	2650 / 5840	720 / 105	20.6 / 26.0	6959613724176
11R22.5	16 / H	146/143 L	8.25	1065 / 41.9	279 / 11.0	3000 / 6610	2725 / 6005	830 / 120	20.6 / 26.0	6959613724183
255/70R22.5	16 / H	140/137 L	7.50	930 / 36.6	255 / 10.0	2500 / 5510	2300 / 5070	830 / 120	17.5 / 22.0	6959613724213
295/75R22.5	14 / G	144/141 L	8.25	1020 / 40.2	298 / 11.7	2800 / 6175	2575 / 5675	760 / 110	20.6 / 26.0	6959613724220
295/75R22.5	16 / H	146/143 L	8.25	1020 / 40.2	298 / 11.7	3000 / 6610	2725 / 6005	830 / 120	20.6 / 26.0	6959613729201
11R24.5	14 / G	146/143 L	8.25	1116 / 43.9	279 / 11.0	3000 / 6610	2725 / 6005	720 / 105	20.6 / 26.0	6959613724190
11R24.5	16 / H	149/146 L	8.25	1116 / 43.9	279 / 11.0	3250 / 7160	3000 / 6610	830 / 120	20.6 / 26.0	6959613724206
285/75R24.5	14 / G	144/141 L	8.25	1056 / 41.6	283 / 11.1	2800 / 6175	2575 / 5675	760 / 110	22.5 / 28.3	6959613729225
285/75R24.5	16 / H	147/144 L	8.25	1050 / 41.3	283 / 11.1	3075 / 6780	2800 / 6175	830 / 120	22.5 / 28.3	6959613729232





### Ultimate Traction

Dynamic tread design with premium performance compound promotes ultra traction needed for all applications in harsh weather conditions.

### Powerful Grip

Unique 3D sipes and optimized block design add extra gripping power in diverse weather conditions.

### Added Traction Performance

Unique groove design and open shoulder increases cleaning ability for added traction performance.

### Guaranteed Retreadability

Premium casing construction provides toughness and durability for guaranteed retreadability.

SIZE	PR / LR	LOAD INDEX / SPEED SYMBOL	STANDARD RIM	OVERALL DIAMETER [MM / IN]	SECTION WIDTH [MM / IN]	SINGLE LOAD [KG/LBS]	DUAL LOAD [KG/LBS]	PRESSURE [KPA / PSI]	TREAD DEPTH [MM / 32NDS]	PRODUCT CODE
11R22.5	14 / G	144/142 L	8.25	1065 / 41.9	279 / 11.0	2800 / 6175	2650 / 5840	720 / 105	22.5 / 28.3	6959613701863
11R22.5	16 / H	146/143 L	8.25	1065 / 41.9	279 / 11.0	3000 / 6610	2725 / 6005	830 / 120	22.5 / 28.3	6959613724459
295/75R22.5	14 / G	144/141 L	8.25	1020 / 40.2	298 / 11.7	2800 / 6175	2575 / 5675	760 / 110	22.5 / 28.3	6959613701887
295/75R22.5	16 / H	146/143 L	8.25	1020 / 40.2	298 / 11.7	3000 / 6610	2725 / 6005	830 / 120	22.5 / 28.3	6959613724473
11R24.5	14 / G	146/143 L	8.25	1116 / 43.9	279 / 11.0	3000 / 6610	2725 / 6005	720 / 105	22.5 / 28.3	6959613701870
11R24.5	16 / H	149/146 L	8.25	1116 / 43.9	279 / 11.0	3250 / 7160	3000 / 6610	830 / 120	22.5 / 28.3	6959613724466



### Low Rolling Resistance

Special tread compound with shallow non-skid offers low rolling resistance.

### Enhanced Toughness and Even Wear

Solid shoulder rib with unique pressure distribution grooves delivers enhanced toughness and promotes long, even wear.

### Wet Weather Stability

Wide center groove delivers superior water evacuation for increased stability in wet road conditions.

### Guaranteed Retreadability

Premium casing construction promotes multiple retreads.

SIZE	PR / LR	LOAD INDEX / SPEED SYMBOL	STANDARD RIM	OVERALL DIAMETER [MM / IN]	SECTION WIDTH [MM / IN]	SINGLE LOAD [KG/LBS]	DUAL LOAD [KG/LBS]	PRESSURE [KPA / PSI]	TREAD DEPTH [MM / 32NDS]	PRODUCT CODE
11R22.5	14 / G	144/142 M	8.25	1054 / 41.5	279 / 11.0	2800 / 6175	2650 / 5840	720 / 105	11.7 / 14.7	6959613724381
11R22.5	16 / H	146/143 M	8.25	1054 / 41.5	279 / 11.0	3000 / 6610	2725 / 6010	830 / 120	11.7 / 14.7	6959613724398
295/75R22.5	14 / G	144/141 M	8.25	1014 / 39.9	298 / 11.7	2800 / 6175	2575 / 5675	760 / 110	11.7 / 14.7	6959613724435
295/75R22.5	16 / H	146/143 M	8.25	1014 / 39.9	298 / 11.7	3000 / 6610	2725 / 6005	830 / 120	11.7 / 14.7	6959613724442
11R24.5	14 / G	146/143 L	8.25	1116 / 43.9	279 / 11.0	3000 / 6610	2725 / 6010	720 / 105	11.7 / 14.7	6959613724404
11R24.5	16 / H	149/146 L	8.25	1116 / 43.9	279 / 11.0	3250 / 7160	3000 / 6610	830 / 120	11.7 / 14.7	6959613724411



**Long Service Life**

Premium chip/cut resistant compound offers long service life in on an doff road applications.

**Improved Stability**

Optimized tread design with wider footprint improves stability and traction on various driving surfaces.

**Adaptable Flexibility**

Special bead bundle package allows more flexibility in dealing with road obstacles.

**Guaranteed Retreadability**

Premium enhanced casing construction offers toughness and outstanding performance through retread cycle.

SIZE	PR / LR	LOAD INDEX / SPEED SYMBOL	STANDARD RIM	OVERALL DIAMETER [MM / IN]	SECTION WIDTH [MM / IN]	SINGLE LOAD [KG/LBS]	DUAL LOAD [KG/LBS]	PRESSURE [KPA / PSI]	TREAD DEPTH [MM / 32NDS]	PRODUCT CODE
11R22.5	16 / H	146/143 L	8.25	1065 / 41.9	279 / 11.0	3000 / 6610	2725 / 6010	850 / 123	18.3 / 23.0	6959613724480
11R22.5	14 / G	144/142 L	8.25	1065 / 41.9	279 / 11.0	2800 / 6175	2650 / 5840	720 / 105	18.3 / 23.0	6959613702761
255/70R22.5	16 / H	140/137 L	7.50	930 / 36.6	255 / 10.0	2500 / 5510	2300 / 5070	830 / 120	15.9 / 20.0	6959613702730
275/70R22.5	16 / H	148/145 M	8.25	958 / 37.7	276 / 10.9	3150 / 6940	2900 / 6390	900 / 130	17.5 / 22.0	6959613702747
315/80R22.5	20 / L	161/154 K	9.00	1076 / 42.4	312 / 12.3	4625 / 10200	3750 / 8270	900 / 130	18.3 / 23.0	6959613724503
11R24.5	16 / H	149/146 L	8.25	1104 / 43.5	279 / 11.0	3250 / 7160	3000 / 6610	830 / 120	18.3 / 23.0	6959613724497
11R24.5	14 / G	146/143 L	8.25	1116 / 43.9	279 / 11.0	3000 / 6610	2725 / 6010	720 / 105	18.3 / 23.0	6959613702778



**Enhanced Mileage**

Advanced severe service compound resists cut, chips and tears and offers enhanced mileage.

**All-Season Traction**

Deep convex groove with biting edges provides all-season traction on wet, snowy or dry roads.

**Improved Handling**

Optimized block pattern promotes excellent strength and improved handling.

**Guaranteed Retreadability**

Premium enhanced casing construction offers toughness and outstanding performance through retread cycle.

SIZE	PR / LR	LOAD INDEX / SPEED SYMBOL	STANDARD RIM	OVERALL DIAMETER [MM / IN]	SECTION WIDTH [MM / IN]	SINGLE LOAD [KG/LBS]	DUAL LOAD [KG/LBS]	PRESSURE [KPA / PSI]	TREAD DEPTH [MM / 32NDS]	PRODUCT CODE
385/65R22.5	20 / L	160 L	11.75	1072 42.2	389 / 15.3	4500 / 9920	4500 / 9920	900 / 130	18.3 / 23.0	6959613724527
425/65R22.5	20 / L	165 K	12.25	1124 44.3	422 / 16.6	5150 / 11400	5150 / 11400	830 / 120	18.3 / 23.0	6959613724534



**Extended Service Life**

Dependable cut/chip resistance compound promotes extended service life.

**Excellent Traction**

Rugged lug design with deep non skid offers excellent traction in severe off-highway service.

**Guaranteed Retreadability**

Premium enhanced casing construction with deep undertread provides excellent retreadability.



**Extended Service Life**

Premium severe service compound offers outstanding cut/chip resistance and extended service life in tough driving conditions.

**Ultimate Off-Road Traction**

Extra deep 33/32nd aggressive self-cleaning tread helps resist mud or snow buildup and promote ultimate traction.

**Enhanced Stability**

Optimized block design with in-between bridges allows enhanced stability and constant gripping power.

**Guaranteed Retreadability**

Premium enhanced casing construction with deep undertread provides excellent retreadability.

SIZE	PR / LR	LOAD INDEX / SPEED SYMBOL	STANDARD RIM	OVERALL DIAMETER [MM / IN]	SECTION WIDTH [MM / IN]	SINGLE LOAD [KG/LBS]	DUAL LOAD [KG/LBS]	PRESSURE [KPA / PSI]	TREAD DEPTH [MM / 32NDS]	PRODUCT CODE
11R22.5	16 / H	146/143 L	8.25	1065 / 41.9	279 / 11.0	3000 / 6610	2725 / 6005	830 / 120	23.8 / 30.0	6959613724558
11R22.5	14 / G	144/142 L	8.25	1065 / 41.9	279 / 11.0	2800 / 6175	2650 / 5840	720 / 105	23.8 / 30.0	6959613702785
315/80R22.5	20 / L	161/154 K	9.00	1076 / 42.4	312 / 12.3	4625 / 10200	3750 / 8270	900 / 130	23.8 / 30.0	6959613729188
11R24.5	16 / H	149/146 L	8.25	1104 / 43.5	279 / 11.0	3250 / 7160	3000 / 6610	830 / 120	23.8 / 30.0	6959613724565
11R24.5	14 / G	146/143 L	8.25	1116 / 43.9	279 / 11.0	3000 / 6610	2725 / 6010	720 / 105	23.8 / 30.0	6959613702792

SIZE	PR / LR	LOAD INDEX / SPEED SYMBOL	STANDARD RIM	OVERALL DIAMETER [MM / IN]	SECTION WIDTH [MM / IN]	SINGLE LOAD [KG/LBS]	DUAL LOAD [KG/LBS]	PRESSURE [KPA / PSI]	TREAD DEPTH [MM / 32NDS]	PRODUCT CODE
11R22.5	16 / H	146/143 L	8.25	1065 / 41.9	279 / 11.0	3000 / 6610	2725 / 6005	830 / 120	26.2 / 33.0	6959613724572
11R22.5	14 / G	144/142 L	8.25	1065 / 41.9	279 / 11.0	2800 / 6175	2650 / 5840	720 / 105	26.2 / 33.0	6959613702808
11R24.5	16 / H	149/146 L	8.25	1104 / 43.5	279 / 11.0	3250 / 7160	3000 / 6610	830 / 120	26.2 / 33.0	6959613724589
11R24.5	14 / G	146/143 L	8.25	1116 / 43.9	279 / 11.0	3000 / 6610	2725 / 6010	720 / 105	26.2 / 33.0	6959613702815



**NEOTERRA**  
Drive The New World

Darron Center, No.180 Haier Road | Qingdao, China | 86-532-55579148 | [info@ketertyre.com](mailto:info@ketertyre.com)

[WWW.NEOTERRATIREUSA.COM](http://WWW.NEOTERRATIREUSA.COM)

**DRIVE THE NEW WORLD!**